Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	37	"5757771" and storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 16:56
L2	3	"6738821" and read and write and data adj packet and flow adj control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 16:59
L3	1	"6738821" and read with packet and data adj packet and flow adj control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 17:02
L4	0	"6738821" and read with control adj packet and data adj packet and flow adj control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 17:02
L5	57	read with control adj packet and data adj packet and flow adj control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 17:02
L6	51	read with control adj packet and data adj packet and flow adj control and storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 17:03
L7	53	read with control adj packet and flow adj control and storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 17:03
L8	338	read with command with packet and flow adj control and storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 17:03
L9	267	read with command with packet and flow adj control and storage and switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 17:04
L10	108	read with command with packet and flow adj control and storage and switch and @ad<"20001120" .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ОИ	2006/06/12 17:10
L11	7	("5113500" "5649109" "5664145" "5805821" "5896492" "6397267" "6604155").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/12 17:06

			_			
L12	24	status with data with command with packet and flow adj control and storage and switch and @ad<"20001120"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 17:15
L13	14	status with data with command with packet and flow adj control and SAN and @ad<"20001120"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 17:36
L14	48	status with data with command with packet and SAN and @ad<"20001120"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 17:38
L15		status with data with command with packet and storage adj area adj network and @ad<"20001120"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 17:21
L16	14	status with data with command with packet and SAN and flow adj control and @ad<"20001120"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 17:39
L17	12	status with data with command with packet and SAN and flow adj control and priority and @ad<"20001120"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 17:39
S72	796	storage same read with packet and switch and data adj packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/06/12 09:40
S73	350	storage same read with packet and switch and data adj packet and @ad<"20001120"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 10:49
S74		storage with read with command with packet and switch and data adj packet and @ad<"20001120"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 09:47
S75	305	read with command with packet and switch and data adj packet and @ad<"20001120"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 09:48
S76	253	read with command with packet and switch and data adj packet and storage and @ad<"20001120"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 09:50

		•				
S77	48	read with command with packet and switch and data adj packet and network with storage and @ad<"20001120"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 09:56
S78	41	read with command with packet and switch and data adj packet and network with storage and @ad<"20001120" and (buffer queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 09:57
S79	11	read with command with packet and switch and data adj packet and network with storage and @ad<"20001120" and (buffer queue) with (control command status) adj2 (packet message frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 10:02
S80	5	read with command with packet and data adj packet and network with area with storage and @ad<"20001120" and (buffer queue) with (control command status) adj2 (packet message frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 10:03
S81	30	read and write and data adj packet and network with area with storage and @ad<"20001120" and (buffer queue) with (control command status) adj2 (packet message frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 10:41
S82	1	"20020167945" and read with command with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 10:48
S83	365	(time age) with packet with low with priority	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 10:52
S84	181	S83 and @ad<"20001120"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 10:49
S85	33	(trandmi\$5 send\$3 forward\$3) with (time age) with packet with low with priority	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 10:57
S86	-14	(trandmi\$5 send\$3 forward\$3) with packet with low with priority with delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 10:59
S87	0	(trandmi\$5 send\$3 forward\$3) with packet with low with priority with time adj stamp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 10:59

S88	0	(transmi\$5 send\$3 forward\$3) with packet with low with priority with time adj stamp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/06/12 10:59
S89	6	(transmi\$5 send\$3 forward\$3) same packet same low adj2 priority same time adj stamp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 11:00
S90	29	(transmi\$5 send\$3 forward\$3) same packet same low adj2 priority same stored with time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 12:21
S91	2275	(transmi\$5 send\$3 forward\$3) same packet same arrival with time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 12:21
S92	4844	(transmi\$5 send\$3 forward\$3) same packet same stored with tim\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 12:22
S93	0	(transmi\$5 send\$3 forward\$3) same packet same stored with tim\$3 and piroity with queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 12:22
S94	0	(transmi\$5 send\$3 forward\$3) same packet same stored with tim\$3 and prioity with queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 12:22
S95	444	(transmi\$5 send\$3 forward\$3) same packet same stored with tim\$3 and priority with queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 12:23
S96	175	(transmi\$5 send\$3 forward\$3) with packet with stored with tim\$3 and priority with queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/06/12 12:35
S97	1079	(pre-empt\$3 preempt\$3) and priority with queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 12:35
S98	114	(pre-empt\$3 preempt\$3) and priority with queue and stored adj3 time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 12:40

				_		
S99	206	(pre-empt\$3 preempt\$3) and priority with queue and (long time) with (stored wait\$3) with (queue buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 12:53
\$10 0	25	(pre-empt\$3 preempt\$3) and priority with queue and (long time) with (stored wait\$3) with (queue buffer) with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 12:58
S10 1	. 85	(pre-empt\$3 preempt\$3) and (long time) with (stored wait\$3) with (queue buffer memory storage) with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 12:58
S10 2	35	(pre-empt\$3 preempt\$3) and (long time) with (stored wait\$3) with (queue buffer memory storage) with packet and @ad<"20001120"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 13:03
S10 3	56	("5757771").URPN.	USPAT	OR	ON	2006/06/12 13:02
S10 4	1810	(long time) with (stored wait\$3) with (queue buffer memory storage) with packet and @ad<"20001120"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 13:03
S10 5	20451	priority with (buffer queue) (long time) with (stored wait\$3) with (queue buffer memory storage) with packet and @ad<"20001120"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/06/12 13:03
S10 6	307	priority with (buffer queue) and (long time) with (stored wait\$3) with (queue buffer memory storage) with packet and @ad<"20001120"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 13:32
S10 7	394	priority with (buffer queue) and (long time) with (delay stored wait\$3) with (queue buffer memory storage) with packet and @ad<"20001120"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 13:33
S10 8		priority with (buffer queue) and delay with (long time) with (stored wait\$3) with (queue buffer memory storage) with packet and @ad<"20001120"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ΟŅ	2006/06/12 13:35
S10 9	11	("5083269" "5150358" "5233606" "5278828" "5303078" "5365519" "5463620" "5475680" "5521916" "5541912" "5555265").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/12 13:35
S11 0	150	priority with (buffer queue) and delay with time with (queue buffer memory storage) with packet and @ad<"20001120"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 13:39

S11 1	0	S110 not S107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 13:35
S11 2	[*] 276	select\$3 with (delay long waiting stor\$3) with time with (queue buffer memory storage) with packet and @ad<"20001120"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 13:46
S11 3	14	select\$3 with (delay long waiting stor\$3) with time with (queue buffer memory storage) with packet and @ad<"20001120" and (pre-empt\$3 preempt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 13:47
S11 4	31	select\$3 with (delay long waiting stor\$3) with time with (queue buffer memory storage) with packet and @ad<"20001120" and high adj priority	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 14:02
S11 5	4	("5121385" "6236672" "6393000" "6477176").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/12 13:51
S11 6	68	threshold with (delay long waiting stor\$3) with (queue buffer memory storage) with packet and @ad<"20001120" and high adj priority	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 14:03
S11 7	7	threshold with delay with (queue buffer memory storage) with packet and @ad<"20001120" and high adj priority	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 16:37